



---

**RG-S1924GT**


---





---


3.3	.....	9
3.4	.....	9
3.5	PC IP .....	10
3.6	SFP .....	11
3.7	.....	11
3.7.1	.....	11
4	.....	13
5	.....	14



V1.00

<http://www.i-net.com.cn>

<http://www.ruijie.com.cn>



---

***service@star-net.cn***

z


z

z

0591-83057001 0591-83057002

z

0591-83057315



# 1

RG-S1924GT

20 1000BASE-T

4

Combo

48Gigabits


## 1.1

z Web  
z QoS VLAN Trunk  
z /  
z  
z /  
z -  
z LED  
z 19  
19

## 1.2 RJ-45







---

—

—

2.5

—


—

2.6

2.6.1

—






2.6.5

---

2.7 EMI

2.8



---

# 3

## 3.1

z RG-S1924GT

z 4

z

z

z


z

z

z

z


CD




## 3.2

---

IP





---

SYSTEM-Password  
APPLY

3.3

z  
z  
z  
z  
z  
z

5

3.4

1

4

2

Power

:


3

PC




---

		PC	5	5e	
UTP	STP				100
RS-S1924GT			24	PC	
MDI/MDIX				PC	



3.6

SFP



3-6

SFP


SFP

1

SFP

2

SFP



3-1		
9		PC 9 DTE
2 RXD( )	2	3 TXD( )
3 TXD( )	3	2 RXD( )
5 SGND		5 SGND

Z 9600bps  
Z 8  
Z  
Z  
Z 8  
Z

**4**

**1**

Power

Z

Z

Z

**2**

LED

Z

Z

Z

5

100

Z

Z



RG-S1924GT	
	440 43 171.20 mm

