



©2017



OW3.0(1)B7

-
-
-
-

<http://www.ruijie.com.cn/> „ <http://www.ruijie.com.cn/>

[] []

{x|y|...}

[x|y|...]

//

2)



3)



1 WEB

1.1



RSR10-01G-T(WA)-S

1.1.1

W<9 @ =` i \]f x :_i f d \

W<9 W<9 W<9 W<9
W<9 @ =` i \]f x :_i f d \

1.1.2

W<9 W<9 ? KKP
? KKPJ KLJ (%)

W<9 W<9 W<9 W<9
@ =` i \]f x :_i f d \ Ja]ai `

1.2.1

W<9 (O)%-/%%) , , % , , % W<9
a[d ` e W` e .

W<9	
W<9	<k _ '\$<k _ + (O)%-/%%

W<9	a[d ` e
-----	----------



Eth1-Eth4

" 192.168.1.1"

WEB

P:

P:

<k _ +

P:

P: @

P:

\$>

\$>

@ k \i e \k

\$>"

(\$ i

\i e

(\$ K /

A




admin

1.3

1.3.1

W` =` +>

((\$



(\$: PL



(\$




(\$' W' =




(\$(+>

4G 信息

 运营商：未知

网络模式：WCDMA

信号强度：

SIM卡状态：无SIM卡


IP地址/掩码：0.0.0.0/0.0.0.0

1.3.2



Web

(\$(




SIM auto() 4
 lte(4G) wcdma(3G) gsm(2G)
 lte(4G) ehrpd(3.5G) evdo(3G) cdma_1x(2G)
 lte(4G) td_scdma(3G) gsm(2G)


APN

IP


4G

(\$ *






	DHCP	PPPoE	LAN
IP	LAN	IP	
	IP		LAN
DHCP			
	IP	100	IP 192.168.1.100- 192.168.1.X X IP
	IP		
(\$.			



MTU

1500

(\$-



LAN

Eth1-Eth4


Eth0

WAN

(\$.



LAN



PPPoE DHCP WAN

, Eth0-Eth4

Eth0

WAN PPPoE

(\$0



WAN

(\$)



1.3.3.2 4G

4G


4G

(\$)

4G设置

说明：修改4G设置需要重启4G模块进程，因此导致已关联的终端要重新关联上设备，出现短暂的断网是属于正常现象。

4G信息


运营商：未知
网络模式：WCDMA
信号强度：
SIM卡状态：无SIM卡
IP地址/掩码：0.0.0.0/0.0.0.0
IMSI：N/A
IMEI：862815030298713
ICCID：N/A

[修改](#)

4G

(\$)*

(\$) +



AP

SSID	WLAN	WiFi	SSID	
SSID		WiFi	SSID	WiFi
	WPA/WPA2		WiFi	
LAN	LAN	DHCP	IP	

Station

SSID	WiFi
	WiFi

1.3.3.4

DHCP	IP
------	----

(\$),



1.3.4

1.3.4.1 CWMP

CWMP CWMP &

(\$) -



ACS URL

1.3.4.2 RLOG

RLOG RLOG

(\$).

RLOG日志

系统日志

启用

服务器URL

日志上传周期

[?](#) 秒，范围：(10-100000)

设备信息上传

[?](#) 秒，范围：(10-100000)

1.3.4.3

(\$) /

静态路由分配

已生效路由

静态路由	缺省数	接口	IP地址	路由掩码	路由网段
<p>添加</p> <p>保存&应用</p>					

IPv4

IPv4


IP

1.3.4.4 /

/


1

(\$0



2

(\$*




:

/

(\$ (



(\$*)



Telnet

Telnet

Telnet

Web

(\$**)





1.3.5

1.3.5.1

→

(\$* +



4

(\$*,




1.3.5.2

Web

admin

(\$* -



1.3.5.3 /

/ /

(\$* .

备份/升级

备份/恢复

1.3.5 40~U

重启 定时重启

启用

重启周期


星期

时

[?](#) 24小时制 (0-23)

分

[保存&应用](#)



	:	8:30-18:00	
			4008-111-000
	WEB		WEB

1.4.2

[_k k g 188 l g g f i k % l ` a ` \ % f d % e](#)

+' /\$(('\$''