

RG - MAP752(T)

<http://www.ruijie.com.cn/>

<http://webchat.ruijie.com.cn>

<http://www.ruijie.com.cn/service.aspx>

7× 24

4008-111-000

<http://bbs.ruijie.com.cn/portal.php>

1

1.1

RG-MAP752(T)		+1.0	AP						
			802.11ac				AM		24
Radio	24	2.4G	5G		600M		+		
14.4G					RG-MAP752(T)				

1.2


1.2.1 RG-MAP752(T)

	RG-MAP752(T)									
	802.11b/g/n 802.11a/n/ac									
	802.11b/g/n 2.4G ~ 2.4835GHz 802.11a/n/ac 5G 5.150 5.350GHz 5.47 5.725 5.725 5.850GHz (
	2.4G		5G							
	2.4G		450Mbps			5G		867Mbps		
	1.317Gbps									
	OFDM BPSK@6/9Mbps QPSK@12/18Mbps 16-QAM@24Mbps 64-QAM@48/54Mbps DSSS DBPSK@1Mbps DQPSK@2Mbps and CCK@5.5/11Mbps MIMO-OFDM BPSK QPSK 16QAM 64QAM and 256QAM									
	23dBm									
	1dBm									
	SPI Flash 256Mbit DDR2 1Gb									
	86*160*29.88mm × ×									
	250g()									
	1 10/100/1000Base-T			4 10/100/1000Base-T				1 10/100Base-T		
	4W 1 Micro usb console									
	AP					AP				
	IP41									
	-10° C 45° C -40° C 70° C 5 95 5 95									
	8W									
	GB4943 EN60950-1 IEC60950-1									

EMC	GB9254 GB17618 EN301 489-1 EN301 489-17 EN55022 EN55024
Health	EN 62311
	EN300 328 EN301 893


1.2.1.1 RG-MAP752(T)

RG-MAP752(T) 1 4 1 24V



1.	—LAN	2.	—
3.	LAN 2	4.	LAN 3
5.	LAN 4	6.	LAN 5
7. Micro Usb Console			

1 RG-MAP752(T)



AM

WAN

AM

1.3 RG-MAP752(T)

RG-MAP752(T)

USB

AP

Led

1 LED

		AP
	0.4s 0.4s (45s)	AP 45s AP 5
	90s	AP 90s 90s
	2s 2s	AP AP

2

2.1

RG-MAP752(T)

RG-MAP752(T)



u

2.2

RG-MAP752 T


2-2

2-2

3



3.1



:

,


15

3.2


AP

3.3


86




WAN



MAP752(T)





4

4.1

AM RG-MAP752(T)

4.2

4.2.1


AM RG-MAP752(T)

4.2.2

AP

6

6.1



6.2

1

2

LED

AP

AP

3

AP

AP

AP




RG-MAP752(T)

u

A

1000BASE-T/100BASE-TX/10BASE-T

1000BASE-T/100BASE-TX/10BASE-T				MDI/MDIX Crossover	
1000BASE-T	IEEE 802.3ab	100	100-ohm	5	UTP
STP	STP		1000BASE-T	4	
4	1000BASE-T		A-1		
A- 1 1000BASE-T					



100BASE-TX/10BASE-T	10Mbps	100-ohm	3,4,5	100Mbps
100-ohm 5			100BASE-TX/10BASE-T	

A-2:

A- 2100BASE-TX/10BASE-T



100BASE-TX/10BASE-T

, A-3

A- 3 100BASE-TX/10BASE-T

子线	且连线	父义线
1 IRD+	1 IRD+	1 OTD+
2 IRD-	2 IRD-	2 OTD-
3 OTD+	3 OTD+	3 IRD+
6 OTD-	6 OTD-	6 IRD-

B — RG-MAP752(T)

1	RG-MAP752(T)	1	
2		1	
3	M4*40	2	
4		1	