

copyright © 2019



-
-
-

-

<http://www.ruijie.com.cn/>

-

<http://ocs.ruijie.com.cn>

-

<http://www.ruijie.com.cn/fw/>

- 7×24

4008-111-000

-

<http://bbs.ruijie.com.cn/portal.php>

-

<http://www.ruijie.com.cn/fw/wt/>

-

4008111000@ruijie.com.cn

1.

[] []

{ x | y | ... }

[x | y | ...]

//


2.



2.2.2 vSphere Client

2.2.2.1

2.2.2.1.1 VMware vSphere



VMware vSphere client


VMware vSphere
VMware vSphere

IP /


VMware vSphere




VMware vSphere



2.2.2.1.2




2.2.2.1.3



2.2.2.1.4

rgonc-247



2.2.2.1.5




2.2.2.1.6

2.2.2.1.8 CPU

CPU

2.1


8



2.2.2.1.9

2.1


32G




VMware

https://kb.vmware.com/s/article/2093486?r=2&Quarterback.validateRoute=1&KM_Utility.getArticleData=1&KM_Utility.getGUser=1&KM_Utility.getArticleLanguage=1&KM_Utility.getArticle=1

2.2.2.1.11 SCSI




2.2.2.1.12




2.1


1TB




2.2.2.1.13







2.2.2.1.14






2.2.2.1.15 ISO

2.2.2.1.15.1





2.2.2.2



/user/rgonc/RG-ONC-2.1.0/RG-ONC_2.1.0-Web/logs/guard.postgresql.log
 checkServerStrictly exit by 0

2.3 IP

(/)ruijie/rgsdn_onc shell
 vi /etc/network/interfaces

```
# The loopback network interface
auto lo
iface lo inet loopback
auto eth0
iface eth0 inet static
address 192.168.23.202
netmask 255.255.255.0
gateway 192.168.23.1
dns-nameservers 192.168.53.110
root@RG-ONC-VIR:~#
```

- IP address
- IP netmask
- gateway

-

- U

2.7.2.2

2.7.2.2.1 U PC

U PC U U

2.7.2.2.2 VMware vSphere ISO


2.7.2.2.3 Rufus

Rufus <http://rufus.akeo.ie/downloads/> 2.11

2.7.2.2.4 U


↘ Rufus

Rufus.exe



↘ U

U



↳ Rufus

ISO

