

- Ô%• | Â Ž ò

• $\tilde{N} f$

copyright ©

ø W

~À*Š



1 C|O”

POF

+

24DUP1DB48LC

24

RG-48DUP2DB96LC



RG-
48

1.1 - Ô%•|ÂŽ ò


P á? d

C 1 Y	RG-24DUP1DB48LC	RG-48DUP2DB96LC
V € ° Ê t ...	0°C 45°C	
α ° Ê t ...	-40°C 70°C	
V € ° Ê y ...	10% 90% RH	
α ° Ê y ...	5% 95% RH	
=) c x l x ³ d c \$ x u m m d	442*330*80	
c \$ x u k g d	7.5	8.5

RG-24DUP1DB48LC C | Ø O



RG-48DUP2DB96LC C | Ø O




Ã μ ι ϕ



48

RG-24DUP1DB48LC

24



2 G ø é Ô Ô

2.1 μ4ì Ž `





2.1.1 G μ

2.2.2 t ... xy ... L -

1

2

3

°Ê t...	ü * y ...
0 to 45°C	10%-90%

2.2.3 M Ó ... L -

Cf 7	§ x	
------	-----	--

EMI EMI

EMI

3

*46340163

) 1 G ø \

(1)

(2)

(3)

45mm

90mm

2 G c o \$

RG-24DUP1DB48LCxu

ø j c 5	d
---------	---

1



RG-24DUP1DB48LC

RG-48DUP2DB96LC

ç 3-1 RG-24DUP1DB48LC] G Q — 7 ç



(2)

3.4 G d ó Ó



-
- 1) / 2
 - 2)
 - 3)