

RG-AP850-AR(V3)





AP850-AR(V3)

PPT

PPT

AP850-AR(V3)

AP850-AR(V3)

AP850-AR(V3)

AP850-AR(V3)



- 1.
- 2.
- 3.
- 4.
- 5.

RG-AP850-AR(V3)

802.11ax

AP

RG-AP850-AR(V2)

RG-AP850-AR(V3)

AP

2.4G

875Mbps

802.11ax

5G

5.667Gbps

6.242Gbps


RG-AP850-AR(V3)

RG-AP850-AR(V3)

802.11ax 802.11ac 802.11n

RG-AP850-AR(V3)

AP








1.

2.

3.



1		USB
2		54V DC AP
3	LAN1/PoE	IEEE 802.3af 802.3at 802.3bt PoE
4	LAN2/IoT	48V/12.95W
5	Console	
6		
7	5G SFP	
8		



RG-AP850-AR(V2)

1. 6.242Gbps

2. 2.5G 5G

3. Lan1 48V 12.95W

4. 5.1

5. USB 3.0

6. 802.3 bt af at Lan1

USB AI radio radio



- 1.
- 2.
- 3.
- 4.
- 5.

console

```
ap          fit
conf
ap-mode fat // fat
Show run ///
show int status ///
Show version detail ///
debug pd 1 /// AP POE
show dot wireless 1/0 /// radio
Show dot a a /// sta
```




1.

2.

3.






AP850-AR(V3)

PoE

PoE

802.11af



Link



- 1.
- 2.
- 3.
- 4.
- 5.

POE

RG-AP850-AR(V3)

802.3bt

POE

DC

DC

PoE

DC

RG-AP850-AR(V3)

2m

0.4

PPT

THANKS

29

100036

Office Tel: 010-51715999

Fax: 010-51413399

4008-111-000

www.ruijie.com.cn

A 11

