

# RG-SMP+

# AD

copyright © 2025



RG-SMP+ AD

RG-SMP+ AD LDAP Referral

T

/	
---	--

SMP+

RG-SMP+ ,

1	.....	1
1.1	.....	1
1.2	.....	1
1.3	.....	1
2	.....	

---

# 1

## 1.1

RG-SMP+ AD

AD

## 1.2

AD -

## 1.3

Active Directory AD

---

## 2.2

- (1) LDAP Client      LDAP      SMP+      SMP+      AD      Referral  
      SMP+                    AD
- (2) Referral                    URL      SMP+      Referral      URL  
      Referral      URL
- (3)

## 2.3

AD  
AD                    Trusted Domain      PDC  
                          LDAP  
AD  
LDAP  
LDAP                    LDAP Referral  
      LDAP Referral      8 5 D ' F Y      D







(3) AD



(4) LDAP  
 AD                      LDAP  
 AD                      LDAP



(5) < >  
LDAP



---

LDAP

LDAP

AD

"username+@+ "

# 3

## 3.1

AD  
child2.com

AD      corp-parent.com      child1.com      AD

---

AD

### 3.2

AD

SMP+

AD

SMP+

## 4

SMP+

LDAP

SMP+

IP

AD

**SMP+**

```
network:
  ethernets:
    ens160:
      addresses:
        - 172.17.9.71/24
      gateway4: 172.17.9.1
      nameservers:
        addresses:
          - 172.17.9.133
      dhcp4: no
  version: 2
#
netplan apply
# k8s coredns pod, coredns- coredns tab
kubectl delete pod -n kube-system coredns-xxx
```